

Werk

Titel: Erucarum ortus, alimentum et paradoxa metamorphosis

Autor: Merian, Maria Sibylla

Verlag: Oosterwyk

Ort: Amstelædami

Jahr: 1717

Kollektion: Zoologica

Digitalisiert: Niedersächsische Staats- und Universitätsbibliothek Göttingen

Werk Id: PPN476830389

PURL: <http://resolver.sub.uni-goettingen.de/purl?PPN476830389>

OPAC: <http://opac.sub.uni-goettingen.de/DB=1/PPN?PPN=476830389>

LOG Id: LOG_0017

LOG Titel: X. Flos Grosulariae, sativae, spinosae

LOG Typ: chapter

Terms and Conditions

The Goettingen State and University Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Goettingen State- and University Library.

Each copy of any part of this document must contain these Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept the Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Goettingen State- and University Library.

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Contact

Niedersächsische Staats- und Universitätsbibliothek Göttingen
Georg-August-Universität Göttingen
Platz der Göttinger Sieben 1
37073 Göttingen
Germany
Email: gdz@sub.uni-goettingen.de

acarus, qui trium dierum spatio in doliolum fulcum immutatus, elapsis quatuordecim diebus in talem, qualem infra delineavi, muscam transformatus fuit.

In extremitate, folii viridis eruca virescens exhibetur, turbata, filo deorsum, eodemque mediante iteratò sursum fertur, hisce foliis eam enutrivit, ad duodecimum usque Junii diem, ex tunc in nympham flavescens transit, ex qua die vigesima sextâ Julii, qualis in folio depingitur, musca nigricans educta fuit.

VIII. *Taraxacon.*

Super Sylvestri hocce flore in mensè Aprili deprehenditur eruca fusci corporis, in capite duo quasi pilosa cornua gestat, ut & in dorso quinque adhuc ejusmodi fasciculos exstantes, cæterum corpus pilis flavis oblitum est; in principio mensis Maii telam ovalem propriis è pilis conficit, & in aureliam fuscam pilis flavis oblitam, ut infra vides, immutatur, in fine mensis ejusdem inde phalæna cinerea producta fuit, uti superius in folio videtur.

IX. *Cerasa acida rubra flore plena.*

Erucam hanc super omni genere fructiferarum arborum, præcipuè tamen cerasorum est reperire, Metamorphosin fubitura parat ovalis figuræ texturam, argenti more splendendam, & instar chartæ pergamenæ quodammodò tabulosam, huic inclusa fuscam in aureliam transformatur, qualem diversa duo folia exhibent, post quatuordecim dies, phalæna cinerei coloris indè prodit, qualis superius super hocce ramulo volitans exhibetur.

X. *Flos grossulariæ, Sativæ, Spinose.*

In mensè Aprili hac super arbusculâ genus quoddam erucarum corpore fuscis, striis nigris albisque maculis aspersarum invenitur, testudineo gradu incedunt, mensè Junio rusam sibi ovalis figuræ telam texentes fuscam in aureliam immu-

tantur, mense Julio fulva producitur inde phalæna, cujus alarum superior quælibet albâ maculâ distingritur, sicuti figura habet,

XI. *Cerasus austera, florens.*

Hujuscemodi flavo quodam lucido tinctas erucas sæpè sæpiùs his super arboribus inveni, folia, quibus involvuntur, complicant, pilosæ sunt admodum tam antrosùm quàm retrorsùm gradientes, tactæ filo ex ore protenso descendunt, in sextum usquè diem mensis Maii eas enutrivì, telam exinde albam conficiebant, & in nymphas fuscas immutatæ vigesimâ septimâ die Octobris, in papiliones è lucido fuscis, ad latus depictos, migrarunt. Tales in cerasis quàm plurimas deprehendi subflavas erucas, folia viridia complicant, ac pilosæ admodum sunt tam antrosùm quàm retrorsùm gradientes, tactæ filo ex ore protenso descendunt, quo mediante pariter reascendere noverunt, in sextum usque diem mensis Maii eas enutrivì, tunc albam telam conficiebant, vigesimâ septimâ die Octobris è lucido flavo tinctæ colore phalænulæ prodibant, qualis in folio viridi suprâ annotata est.

XII. *Viola Lutea.*

Super hocce murario vel potius montano flore hujusmodi tenues erucæ virides inveniuntur, aliis erucis proportionatè longiores, sub corpore pedibus carent, progredientes corporis partem posticam priori jungunt, gibbum hocce modo formantes, iter suum accelerant; animadverti, quod mense Junio folio sese firmiter intexentes in aureliam fuscam immutentur, Julio fuscus & elegans inde papilio prodit, qualis proximè florem hunc est appictus.

Flori flavo superjacet vermiculus, quem in rapâ reperi, hic in doliolum immutabatur, decem diebus elpasis parva quædam musca, in arbore delineata, prodiit.

XIII. *Flos prunæ Damascenæ.*

Formosam hanc virescentem striis nigris, coralliisq; flavis adornatam erucam hisce foliis in mensẽ usque Junium-