

Werk

Titel: Erucarum ortus, alimentum et paradoxa metamorphosis
Autor: Merian, Maria Sibylla
Verlag: Oosterwyk
Ort: Amstelædami
Jahr: 1717
Kollektion: Zoologica
Digitalisiert: Niedersächsische Staats- und Universitätsbibliothek Göttingen
Werk Id: PPN476830389
PURL: <http://resolver.sub.uni-goettingen.de/purl?PPN476830389>
OPAC: <http://opac.sub.uni-goettingen.de/DB=1/PPN?PPN=476830389>

LOG Id: LOG_0028
LOG Titel: XX. Oxyacantha florens
LOG Typ: chapter

Terms and Conditions

The Goettingen State and University Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Goettingen State- and University Library.

Each copy of any part of this document must contain there Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept the Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Goettingen State- and University Library.

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Contact

Niedersächsische Staats- und Universitätsbibliothek Göttingen
Georg-August-Universität Göttingen
Platz der Göttinger Sieben 1
37073 Göttingen
Germany
Email: gdz@sub.uni-goettingen.de

Inferius folio viridi viridis eruca infidet, sub foliis supina pabulum sumere solita, in decimam usque Junii diem eam enutrivi, ubi perfectâ tenui, albâque texturâ in aureliam lignei coloris immutabatur, vigesimâ sextâ ejusdem inde phalæna fusca prodiit, qualis in Marcescente rosa denotatur.

XX. Oxyacantha florens.

Diversicolor hæc eruca ut plurimum in dumis invenitur, neque tamen idè à pomorum foliis abhorret, à me quodam tempore enutrita telam cineritii coloris sibi texuit, & in aureliam fuscam immutabatur, quæ vivens tanti sensùs erat, ut tacta fese circumvolveret, diebus duodecim præterlapsis alba prodiit inde phalæna, quæ flava pariens ovula extincta est.

Sordidos hosce vermes in cloacis graveolentibus est reperire, mutantur in doliola caudati, unde etiam musculi nuncupantur, spatio septendecim dierum elapsi muscam educi subflavam inertem animadverti.

XXI. Cotoneæ flor.

Tantas his in arboribus erucas inveni flavo ochræ colore tintas, striis nigris, punctisque albicantibus aspersas, cauda, caputque auriaci sunt coloris, tactæ multâ motitatione caput agitant, hisce foliis eas enutrivi, usquedùm subflavam tabulosamque texturam conficientes in Aurelias immutarentur, trium hebdomadarum spatio ingens ochræ colore tincta phalæna prodiit quæ totâ die loco non movebatur, tacta bardè admidùm volitans quemlibet in locum impingebat, ova parit flava.

XXII. Rosa multiplex, media.

Suprà Rosæ calycis nervulum inferius erucula flava residet, mense Julio in aureliam ex viridi rubram mutabatur, diebus quatuordecim elapsi elegans animalculum cinereum inde prodibat, ochræ colore lucido, albisque simul striis exornatum.

Similis eruca, exanimis ad instar, prosternebatur, effluxis