

Werk

Titel: Erucarum ortus, alimentum et paradoxa metamorphosis

Autor: Merian, Maria Sibylla

Verlag: Oosterwyk

Ort: Amstelædami

Jahr: 1717

Kollektion: Zoologica

Digitalisiert: Niedersächsische Staats- und Universitätsbibliothek Göttingen

Werk Id: PPN476830389

PURL: <http://resolver.sub.uni-goettingen.de/purl?PPN476830389>

OPAC: <http://opac.sub.uni-goettingen.de/DB=1/PPN?PPN=476830389>

LOG Id: LOG_0035

LOG Titel: XXVIII. Rosa versicolor

LOG Typ: chapter

Terms and Conditions

The Goettingen State and University Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Goettingen State- and University Library.

Each copy of any part of this document must contain these Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept the Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Goettingen State- and University Library.

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Contact

Niedersächsische Staats- und Universitätsbibliothek Göttingen
Georg-August-Universität Göttingen
Platz der Göttinger Sieben 1
37073 Göttingen
Germany
Email: gdz@sub.uni-goettingen.de

Fructui erucula infidet in medio viridis, in parte verò corporis posteriore, anterioreque flavis, nigrisque punctis distincta; fructui huic non mediocriter damnum infert, repetitis vicibus exuvias deponit, venustiori continuo metamorphose elegantior facta sub finem Maii degenerat in nympham, trium septimanarum spatio muscæ flavæ prodeunt, uti latus habet.

XXVI. *Urtica urens major.*

HÆc herba nigricantis erucæ pabulum est, quasdam earum in scatulâ reservavi, quæ decimo quarto die Junii operculo adhærebant, in aureliis expallido flavas inversarum unam aperui curiositate stimolata, figuræ è folio pendentis inferiùs correspondebat, vigesimo octavo die ejusdem mensis papilio inde prodibat, cujus latus exteriùs fuscum, interiùs autem ex obscuro auriaci coloris erat, nigro purpureoque mirificè exornatum. Ex aureliarum maximâ musca nigra graveolens exibat, qualis, suprà aureliam folio insidens est depicta.

Acaros etiam in excrementis harum erucarum deprehendi in doliola nigra mutatos, in quatordecim dierum spatio, quales exhibentur, in lucem muscæ prodibant.

XXVII. *Salix acuto folio.*

IN pendulo longiore folio animalculum flavum punctis nigris intertextum exhibetur, decimâ quartâ die Junii folio adhærebat, & in nympham degeneravit, præterlapsis quindecim diebus, prodibat inde scarabæus, qualis folio superiùs infidet, qui semen suum adhuc in hæc folia disseminat, ex quo alia rursum animalcula producuntur.

Folium inferius eruculam fuscam exhibet, hisce foliis emanant rivi, sextâ die Junii telam confecit, & in eâ, in sequentis anni mensẽ usque Majum permanfit, tunc talis inde musca prodit, qualis infrâ depingitur.

XXVIII. *Rosa versicolor.*

Spadicea rosæ insidens eruca ventre suo graditur tribus solummodò trunculis anteriùs instructa, hisce rosis in finem usque

que Junii eam enutrivit, exinde folio rosaceo involuta in aureliam fuscam immutabatur, qualem supra rosam est videre, post dies quatuordecim nigris, albisque maculis distinctus papilio producebatur, mediæ rosæ infidens representatus.

Cauli viridis erucula infidet, quam pari modo foliis rosaceis enutrivit, in principio Julii mutabatur in aureliam, & ex eâ post quatuordecim dies papilio flavum ochræ colorem referens prodiit, qualis infra demonstratur.

Similis eruca humi jacebat, veluti exanimis ex quâ acarus albus proreptabat, qui exiguo temporis intervallo degeneravit in doliolum, post quatuordecim exinde dies, qualis in medio folio remonstratur, musca prodiit.

XXIX. *Grossularia hortensis.*

Hisce super arbusculis nigris albisque maculis aspersa pabulum quærit eruca, progressura partem corporis posteriorem priori jungit, corpore flexuram componit, iterque suum progreditur, hac herbâ in decimum tertium diem Julii illam enutrivit, tunc in aureliam ex lucido flavam degeneravit, in fine hujus mensis elegans, albus, flavis, nigrisque maculis aspersus indè papilio prodiit, in volando celerrimus.

XXX. *Salix cuprea Latifolia.*

Formosam hanc erucam hisce foliis enutrivit, octavâ die Junii in aureliam nigram, striis albis virgatam, pilisque albis oblitam degeneravit, post quatuordecim dierum spatium phalæna alba educta est, margaritæ more splendida, & è lucido viridia ova peperit.

Infinum albicantem vermem in terrâ reperi, & in scatulâ terræ plenâ servavi, variisque radicibus in mensem usque majum enutrivit, adultior, majorque factus fuscas in dorso maculas ostentabat, ultimatim in fullonem degeneravit.