

Werk

Titel: Erucarum ortus, alimentum et paradoxa metamorphosis
Autor: Merian, Maria Sibylla
Verlag: Oosterwyk
Ort: Amstelædami
Jahr: 1717
Kollektion: Zoologica
Digitalisiert: Niedersächsische Staats- und Universitätsbibliothek Göttingen
Werk Id: PPN476830389
PURL: <http://resolver.sub.uni-goettingen.de/purl?PPN476830389>
OPAC: <http://opac.sub.uni-goettingen.de/DB=1/PPN?PPN=476830389>
LOG Id: LOG_0038
LOG Titel: XXXI. Grossularia alba, vulgaris
LOG Typ: chapter

Terms and Conditions

The Goettingen State and University Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Goettingen State- and University Library.

Each copy of any part of this document must contain these Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept the Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Goettingen State- and University Library.

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Contact

Niedersächsische Staats- und Universitätsbibliothek Göttingen
Georg-August-Universität Göttingen
Platz der Göttinger Sieben 1
37073 Göttingen
Germany
Email: gdz@sub.uni-goettingen.de

XXXI. *Grossularia alba vulgaris.*

Hocce genus erucarum quâvis ab arbore fructiferâ grossulariâ tamen præprimis albâ pabulum follicitat, in corpore cineritii coloris sunt hæ erucæ, quarum per dorsum nigra decurrit linea, lanuginosæ sunt admodum, capite flavo constant, ponè caput à quolibet latere quinque cærulea ac per corpus rubra gestant corallia, Augusto mutant formam in aurelias è lucido fuscas tactæ circumvolvuntur, Septembre albis, flavis nigrisque lineis virgatæ phalænæ prodeunt.

XXXII. *Gramen pratense vulgare.*

Cineream hanc erucam in mensem usque Julium enutrivigramine, confectâ sibi telâ cinereâ, cineream pariter in aureliam inversa fuit, mense Augusto ex obscuro coloris auriaci-phalæna inde prodiit, ova pariens viridia.

XXXIII. *Acacia germanica.*

Hæ erucæ cæruleæ sunt, lineisque flavis, albisque virgatæ, humido valde delectantur, vespere ad unam omnes in eandem telam sese conferunt, araneorum telæ similem, in decimum usque Julii diem hisce foliis eas enutriviharum quælibet ovalis figuræ telam bombycum more texebant, & in aurelias nigras degenerabant, in fine Julii è lucido fusca phalænæ inde producebantur, ovula sua circum circa ramulos pariunt, formantes annulum, quàm ob rem difficili negotio exterminantur.

In excrementis earum acaros inveni, qui degenerantes in doliola, quatuordecim dierum spatio in supra depictas muscas reformati fuerunt. Frutici inferiùs adhærens subflava eruca in gradiendo telerrima in folio viridi circumvoluta sedem figit; hisce foliis in finem usque Maii enutritur, postmodum in aureliam fuscam immutatur, denique post quatuordecim dies è lucido fusca phalæna excludebatur.

XXXIV.