

Werk

Titel: Erucarum ortus, alimentum et paradoxa metamorphosis

Autor: Merian, Maria Sibylla

Verlag: Oosterwyk

Ort: Amstelædami

Jahr: 1717

Kollektion: Zoologica

Digitalisiert: Niedersächsische Staats- und Universitätsbibliothek Göttingen

Werk Id: PPN476830389

PURL: <http://resolver.sub.uni-goettingen.de/purl?PPN476830389>

OPAC: <http://opac.sub.uni-goettingen.de/DB=1/PPN?PPN=476830389>

LOG Id: LOG_0062

LOG Titel: V. Lapathum acutum, crispum

LOG Typ: chapter

Terms and Conditions

The Goettingen State and University Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Goettingen State- and University Library.

Each copy of any part of this document must contain these Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept the Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Goettingen State- and University Library.

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Contact

Niedersächsische Staats- und Universitätsbibliothek Göttingen
Georg-August-Universität Göttingen
Platz der Göttinger Sieben 1
37073 Göttingen
Germany
Email: gdz@sub.uni-goettingen.de

V. *Lapathum acutum crispans.*

Super hac herbâ è rufo furvis lineolis in crucem sparſis variegata eruca reperitur, ab antè ſex ungviculis, & à retrò ſex pediculis inſtructa eſt, Majo in aureliam fuſcam immutatur, undè fuſcis lineis ſignata phalænula educitur, qualis ſuperiùs volitans exhibitur.

Eâdem herbâ ſimilem eruculam enutrivi, qualis ex alio latere tortuoſa figuratur, è fuſco pſittacorum more viſcentibus lineis diſtinguebatur, pedetentim tamen flavescens tandem fuſca facta eſt, gradu iners erat, ſex ab antè ungviculis, à retrò quatuor adhuc pediculis conſtabat, iter promovens, poſteriores prioribus pedes jungebat, corpore gibbum formans, ac ità progrediebatur; Majo vertebatur in aureliam è lucido fuſcam, cujus terminus ſuperior capitis aviculæ formam refert, elapſo quatuordecim dierum curriculo albicans indè phalænula prodiit rubris conſtans oculis, per cujus quatuor alas rubicunda linea cum margine pariter rubrâ ferebatur, in volando fuit celerrima.

VI. *Rofa centifolia rubra.*

FLos hicce formoſus è lucido viſcentis erucæ pabulum eſt, albæ corpus ejus in longum decurrunt lineæ, quodlibet membrum puncto albicante, ac inferiùs lineâ flavâ eſt adornatum, ſex ab ante ungviculos, in medio pediculos octo, & duos à retrò ſimiles habet, Junio viſcentibus roſarum foliis ſefe intexit, ac in aureliam fuſcam immutatur, Julio menſe, qualis ſuperiùs exhibitur, educta fuit phalænula è lucido flavâ, cujus alæ inferiores obliquè ſub aſpectum cadentes auri more coruſcant.

In Roſariorum etiam fronde ſimile vermium genus invenitur, qualis in roſæ pediculo vermis conſpicitur; hicce Majo junioque menſibus vitâ fruitur, acarum colore refert, per doſum roſei coloris lineâ adornatus, parvulis continuo circumvolantibus muſcis tanquam pabulo veſcitur, neque loco movetur, at per corpus ejus decurrentes attingere valens, proboscidem