

Werk

Titel: Erucarum ortus, alimentum et paradoxa metamorphosis
Autor: Merian, Maria Sibylla
Verlag: Oosterwyk
Ort: Amstelædami
Jahr: 1717
Kollektion: Zoologica
Digitalisiert: Niedersächsische Staats- und Universitätsbibliothek Göttingen
Werk Id: PPN476830389
PURL: <http://resolver.sub.uni-goettingen.de/purl?PPN476830389>
OPAC: <http://opac.sub.uni-goettingen.de/DB=1/PPN?PPN=476830389>

LOG Id: LOG_0092
LOG Titel: XXXV. Prunus sylvestris
LOG Typ: chapter

Terms and Conditions

The Goettingen State and University Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Goettingen State- and University Library.

Each copy of any part of this document must contain there Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept the Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Goettingen State- and University Library.

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Contact

Niedersächsische Staats- und Universitätsbibliothek Göttingen
Georg-August-Universität Göttingen
Platz der Göttinger Sieben 1
37073 Göttingen
Germany
Email: gdz@sub.uni-goettingen.de

XXXV. *Prunus Sylvestris.*

HÆc infrà viridi folio insidens eruca fusca lineolis albis exornata in omnibus ut plurimum arboribus fructiferis inventitur, hisce tamen pruni Sylvestris foliis eam enutrivi in finem usque Augusti, ubi texturâ tenui confectâ fuscâ in aureliam immutabatur, elapsò quatuordecim dierum spatio phalænula corpore flavo, alis unguiculisque albis, ocellulis nigris, corniculisque flavescensibus constans inde prodiit; ovula lanugine contingunt, ut ea à nive, pluvia, & frigore tueantur; ex aliquibus etiam harum erucarum prodierunt acari, in doliola mutati, è quibus elapsis decem diebus muscæ parvulæ producebantur.

Paulò superius folio pariter pruni Sylvestris insidet eruca ex atro flavis lineis virgata, corpore splendida, in medio Augusti ramulo firmiter adhaeret, albo, tauquam sericeo, filo circumvoluta in aureliam immutabatur, hujusmodi aureliarum aliquæ albis, flavis, nigrisque maculis aspersæ, aliæ virides atque flavæ, maculis nigris variegatæ sunt; tactæ validè mouentur, sub finem Augusti albicantes, flavique papiliones inde prodeunt, quorum alæ lineis nigris virgatae, corpus, oculi, unguiculique nigri sunt; de die celerrimè volitant.

XXXVI. *Gramen cyperoides.*

Hanc ex obscura fuscam erucam in gramine deprehendi, & eam in finem usque Augusti gramine nutrivi, ubi texturâ albicante sibi paratâ deponebat exuvias, ac in aureliam è lucido fuscâ immutabatur; hocce modo transformata in medium usquè subsequentis anni mensem Junium permanxit, extunc inde phalænula fusca, cornulis unguiculisque subflavis, oculis nigris, lineisque per alas decurrentibus nigris constans educta fuit.

XXXVII.