SUB | NIEDERSÄCHSISCHE STAATS- UND UNIVERSITÄTSBIBLIOTHEK GÖTTINGEN

Werk

Titel: Erucarum ortus, alimentum et paradoxa metamorphosis
Autor: Merian, Maria Sibylla
Verlag: Oosterwyk
Ort: Amstelædami
Jahr: 1717
Kollektion: Zoologica
Digitalisiert: Niedersächsische Staats- und Universitätsbibliothek Göttingen
Werk Id: PPN476830389
PURL: http://resolver.sub.uni-goettingen.de/purl?PPN476830389
OPAC: http://opac.sub.uni-goettingen.de/DB=1/PPN?PPN=476830389

LOG Id: LOG_0093
LOG Titel: XXXVI. Gramen Cyperoides
LOG Typ: chapter

Terms and Conditions

The Goettingen State and University Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Goettingen State- and University Library.
Each copy of any part of this document must contain there Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept the Terms and Conditions.
Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Goettingen State- and University Library.

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Contact

Niedersächsische Staats- und Universitätsbibliothek Göttingen
Georg-August-Universität Göttingen
Platz der Göttinger Sieben 1
37073 Göttingen
Germany
Email: gdz@sub.uni-goettingen.de

XXXV. *Prunus Sylveſtris.*

HÆc infrà viridi folio inſidens eruca fuſca lineolis albis exornata in omnibus ut plurimum arboribus fructiferis invenitur, hiſce tamen pruni Sylveſtris foliis eam enutrivi in finem uſque Auguſti, ubi texturâ tenui confectâ fuſcam in aureliam immutabatur, elapſo quatuordecim dierum ſpatio phalænula corpore flavo, alis ungviculiſque albis, ocellulis nigris, corniculiſque flaveſcènsibus conſtans inde prodiit; ovula lanugine contegunt, ut ea à nive, pluviâ, & frigore tueantur; ex aliquibus etiam harum erucarum prodierunt acari, in doliola mutati, è quibus elapſis decem diebus muſcæ parvulæ producebantur.

Paulò ſuperius folio pariter pruni Sylveſtris inſidet eruca ex atro flavis lineis virgata, corpore ſplendida, in medio Auguſti ramulo firmiter adhæret, albo, tauquam ſericeo, filo circumvoluta in aureliam immutabatur, hujuſmodi aureliarum aliquæ albis, flavis, nigriſque maculis aſperſæ, aliæ virides atque flavæ, maculis nigris variegatæ ſunt; tactæ validè moventur, ſub finem Auguſti albicantes, flavique papiliones indè prodeunt, quorum alæ lineis nigris virgatæ, corpus, oculi, ungviculique nigri ſunt; de die celerrimè volitant.

XXXVI. *Gramen cyperoides.*

HAnc ex obſcura fuſcam erucam in gramine deprehendi, & eam in finem uſque Auguſti gramine nutrivi, ubi texturâ albicante ſibi paratâ deponebat exuvias, ac in aureliam è lucido fuſcam immutabatur; hocce modo transformata in medium uſquè ſubſequentis anni menſem Junium permanſit, extunc inde phalænula fuſca, cornulis ungviculiſque ſubflavis, oculis nigris, lineiſque per alas decurrentibus nigris conſtans educta fuit.