

Werk

Titel: Erucarum ortus, alimentum et paradoxa metamorphosis

Autor: Merian, Maria Sibylla

Verlag: Oosterwyk

Ort: Amstelædami

Jahr: 1717

Kollektion: Zoologica

Werk Id: PPN476830389

PURL: http://resolver.sub.uni-goettingen.de/purl?PID=PPN476830389|LOG_0130

OPAC: <http://opac.sub.uni-goettingen.de/DB=1/PPN?PPN=476830389>

Terms and Conditions

The Goettingen State and University Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Goettingen State- and University Library.

Each copy of any part of this document must contain there Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept the Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Goettingen State- and University Library.

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Contact

Niedersächsische Staats- und Universitätsbibliothek Göttingen
Georg-August-Universität Göttingen
Platz der Göttinger Sieben 1
37073 Göttingen
Germany
Email: gdz@sub.uni-goettingen.de

captura cibum, exiens; ultimatim fusca fiebat; vigesimâ primâ Maii inter hæcce folia sese intexens ibidem in aureliam immutabatur, unde tandem lignei coloris papiliunculus exxit.

Insimam subviridem fuscam erucam hisce foliis pariter enutri vi svalbaci in mensem usque Junium anni 1683; tactæ viridem quendam liquorem excernebat, in rotundum convoluta diu ita jacebat; naturæ fuit admodum silentiosæ, ita ut horis integris jacuerit immota; decimâ quarta commutabatur in aureliam, secundâque Julii formosa simili ferè cum erucâ floribus insidente, colore tincta phalænula prodiit.

XXII. Titbymalus.

HUjusmodi erucæ adhuc parvæ, flavæ sunt atque nigræ, majores autem factæ rubescunt; tactæ capite, haud scucus ac irritatæ, huc illuc feriunt; hujus generis quâ amplimas habui Francofurti, sed omni tempore mihi destruebantur, ac inde non nisi muscæ prodierunt; hanc herbam avidè depascabantur. Anno 1684. decimâ octavâ die Junii duæ rursus in aurelias immutabantur, ac tandem die nonâ Julii formosam hanc phalænulam inde retuli, alterâ cædem adhuc die ovum viride pariente.

XXIII. Periclymenas.

ELegantium harum viridium erucarum Francofurti quâ plurimas in periclymeno, quo enutriebantur, inveni; decimâ tertiatâ earum una mutabatur in aureliam, quintâque Junii subsequentis anni elegans hujusmodi phalaena indè producta fuit. Cæteræ, quas habueram, deponentes exuvias promodum omnes emoriebantur, aut hujusmodi muscæ tandem educebantur; Amstelodami periclymeno illas enutrivi.

XXIV. Cotoneæ flos.

ANNO 1683; primâ die Maii Francofurti ad mœnum suprà mala cydonia hanc erucam inveni, quorum foliis etiam eam enutrivi, inquieta erat admodum, huc illuc continuo cur-