

Werk

Titel: Erucarum ortus, alimentum et paradoxa metamorphosis

Autor: Merian, Maria Sibylla

Verlag: Oosterwyk

Ort: Amstelædami

Jahr: 1717

Kollektion: Zoologica

Digitalisiert: Niedersächsische Staats- und Universitätsbibliothek Göttingen

Werk Id: PPN476830389

PURL: <http://resolver.sub.uni-goettingen.de/purl?PPN476830389>

OPAC: <http://opac.sub.uni-goettingen.de/DB=1/PPN?PPN=476830389>

LOG Id: LOG_0138

LOG Titel: XXXI. Cerasa pliniana

LOG Typ: chapter

Terms and Conditions

The Goettingen State and University Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Goettingen State- and University Library.

Each copy of any part of this document must contain these Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept the Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Goettingen State- and University Library.

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Contact

Niedersächsische Staats- und Universitätsbibliothek Göttingen
Georg-August-Universität Göttingen
Platz der Göttinger Sieben 1
37073 Göttingen
Germany
Email: gdz@sub.uni-goettingen.de

XXVII. *Nasturtium indicum.*

HUjusmodi lignei coloris eruculas hocce nasturtio indico nutrivi; nonnullæ decimâ tertiâ die Junii foliis virescentibus inclusæ mutabantur in aurelias, tertiâ Julii primus inde papiliunculus exiit, septimâ mensis ejusdem excludebantur alii duo, decimâ tertiâ alius adhuc eductus fuit.

XXVIII. *Buphtalmium.*

EJusmodi flavæ nigræque erucæ floribus hisce vescebantur in vigesimam tertiam usque Julii, anni 1704. ubi sese intextentes in aurelias immutabantur; vigesimâ quartâ, subsequents anni, mensis Maii die, hujusmodi rubri, nigrique papiliones indè proruperunt.

XXIX. *Phu vulgò valeriana.*

HÆc herba pabulum est hujus erucæ; decimâ septimâ Junii albicanti telâ confectâ convertebantur in aurelias, vigesimâ nonâ dicti mensis ejusmodi cineræ phalænulæ indè producebantur. Fusca illa erucula decimâ quartâ Octobris anni 1704. telæ sese intexit, ac vigesimâ quartâ Maii hujusmodi volitans papiliunculus indè fuscus exiit.

XXX. *Uvæ ursinæ.*

Similes, cinerei albicantisque coloris lineis virgatas crucas harum uvarum folia viridia depascentes in vigesimam tertiam usque Junii anni 1706. Amstelodami reperi, ubi in aurelias conversæ, vigesimâ quartâ Julii in elegantes hujusmodi fuscus, albicantesque papiliunculos immutatæ sunt.

XXXI. *Cerasa pliniana.*

His super arboribus tres hujusmodi erucas inveni, quarum foliis tanquam pabulo vescebantur in nonam usque Junii diem,

diem, ubi metamorphosin subibant : primam itaque conversam in aureliam secunda deglutiit, usquedùm unica tantummodo superstes relicta fuerit, quæ tertiâ die Julii in phalænam cineream immutata fuit.

XXXII. *Erice florens.*

HAcce herbâ in campis aridis progerminante tanquam pabulo vescuntur hæ erucæ; quæ decimâ quintâ, sextâ, & septimâ Augusti sese intexentes, decima sextâ, septima & octavâ dicti mensis anni subsequenter in duplicis hujusmodi generis phalænullas, masculos nimirum atque femellas, immutatæ fuerunt.

Erucula media nigricans auriaco colore maculata pariter hac herbâ nutrita fuit, in Junii diem usquè trigesimam, ubi telâ suâ herbæ huic affixâ nigram in aureliam immutabatur vigesimâ sextâ Julii hujusmodi, lineis cinereis virgata phalænulla inde producta fuit.

Formosâ hæc variegata eruca hac herbâ, quemadmodùm etiam millefolio unâ vescebatur, in gradiendo celerrima; vigesimâ secundâ Junii duram admodùm texturam conficere incepit, in quâ mutabatur in aureliam, quæ tacta sæpè numero invertebatur, tandemque profus exaruit; insuper ego duram illam texturam aperui, & in eâ, quod hic cernitur, inveni, hoc quemadmodùm in germaniâ, ita pariter Amstelodami observavi.

XXXIII. *Trifolium & Carex.*

Vermis hicce terrei coloris trifolio insidens lumbricus à popularibus appellatur; rura pascua notabiliter destruit, herbæ radicem exedens; vigesimâ nonâ die Maii in aureliam, qualis sub vermine cernitur, immutabatur, unde vigesimâ quintâ Junii hujusmodi, quale super flore cernitur, animal prorupit; terræ semen suum inserit, ac, uti populares asserunt, tribus ad minimum annis pro subeundâ metaphose indiget.

Elegantis flauæ, rubræque erucæ carex pabulum fuit in primam usque diem Augusti, ubi telâ albicante confectâ nigram in aureliam immutabatur, dicimâ quintâ Augusti albicans

H

hu-