

Werk

Titel: Erucarum ortus, alimentum et paradoxa metamorphosis
Autor: Merian, Maria Sibylla
Verlag: Oosterwyk
Ort: Amstelædami
Jahr: 1717
Kollektion: Zoologica
Digitalisiert: Niedersächsische Staats- und Universitätsbibliothek Göttingen
Werk Id: PPN476830389
PURL: <http://resolver.sub.uni-goettingen.de/purl?PPN476830389>
OPAC: <http://opac.sub.uni-goettingen.de/DB=1/PPN?PPN=476830389>
LOG Id: LOG_0153
LOG Titel: XLVI. Abiegna folia
LOG Typ: chapter

Terms and Conditions

The Goettingen State and University Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Goettingen State- and University Library.

Each copy of any part of this document must contain these Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept the Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Goettingen State- and University Library.

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Contact

Niedersächsische Staats- und Universitätsbibliothek Göttingen
Georg-August-Universität Göttingen
Platz der Göttinger Sieben 1
37073 Göttingen
Germany
Email: gdz@sub.uni-goettingen.de

XLV. *Rosa.*

PEndula viridis erucula his quoque rosif pascitur; hocce genus erucularum à dorso sæpe sæpius obrepit, filoque ex ore prodeunte descendit ac ascendit. Decimâ Maii mutatur in aureliam, decimâ tandem octavâ in muscam nigram transformatur.

Major eruca viridis rosif pariter fruitur; vigesimâ secundâ Maii depositis exuviis mutabatur in aureliam, unde post dies quatuordecim ochræ colore tineta phalæna prodit.

XLVI. *Abiegna folia.*

CInereas has erucas silentiosas admodum, prorsus immotas, in unum convolutas foliis subjacentes, & non nisi avium excrementa repræsentantes, prius erucas esse dubitavi; malorum foliis eas in Frisiâ enutrivî; vigesimâ tertiâ harum una folium ita firmiter contextuit, haud secus ac si glutine compactum esset, in quo mutabatur in aureliam; cæteræ paratis sibi texturis ordinariis, mutabantur in eisdem in aurelias, decimâ quartâ Aprilis subsequenter anni primus papilio prodit, quem alii mense Maii sequebantur, è lucido viridia ova parientes, papiliunculus infra erucam cernitur.

Erucam viridem unâ cum superius allegatâ cinereâ, eadem super arbore reperi; decimâ octavâ Augusti silentiosè prostrata deponebat exuvias, ac absque texturâ mutabatur in aureliam; subsequenter anni decimâ quartâ Aprilis prima phalæna prodit, qualis in supremo viridi folio cernitur, cæteræ verò subsequente mense Majo producebantur.

XLVII. *Convolutas.*

REmonstrato licet in præcedente folio ultimarum harum erucarum pabulo, & hæc arbor etiam si sylvestris sit, extrema tamen hæcce folia floribus exornare volui, nullatenus dubitans, quin rem amatoribus pergratam facerem. Fusca hæc eruca vigesimâ die Junii texturam paraverat flavam, ac in eâ flavam in aureliam quoque fuit immutata, unde decimâ quartâ Julii hæc auriaci coloris phalæna prodit.

XLVIII.