

Werk

Titel: D. Jo. Frid. Blumenbachii Institutiones Physiologicae.

Autor: Blumenbach, Johann Friedrich

Verlag: Dieterich

Ort: Göttingae

Jahr: 1821

Kollektion: Blumenbachiana

Digitalisiert: Niedersächsische Staats- und Universitätsbibliothek Göttingen

Werk Id: PPN659038048

PURL: <http://resolver.sub.uni-goettingen.de/purl?PPN659038048>

OPAC: <http://opac.sub.uni-goettingen.de/DB=1/PPN?PPN=659038048>

LOG Id: LOG_0055

LOG Titel: [Iconum Explicatio] Tab. III.

LOG Typ: illustration

Terms and Conditions

The Goettingen State and University Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Goettingen State- and University Library.

Each copy of any part of this document must contain there Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept the Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Goettingen State- and University Library.

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Contact

Niedersächsische Staats- und Universitätsbibliothek Göttingen
Georg-August-Universität Göttingen
Platz der Göttinger Sieben 1
37073 Göttingen
Germany
Email: gdz@sub.uni-goettingen.de

TAB. III.

Ad testium in foetu masculo ex abdomine descensum.

v. pag. 432 sq.

Fig. I.

Ex foetu gemello fere maturo sed inique adulto; sinister testis iam ex abdominali cavo delapsus; dexter eo fere momento deprehensus quo angiporum penetrare ceperat.

- a.* testis dexter cum epididymide, *ascendenti* peritonaei processui cylindrico iam complicato inhaerens.
- b.* vestigia vasorum spermaticorum eiusdem lateris; et
- c.* ductus deferentis.
- d.* processus peritonaei *descendens*, bullosi sacculi speciem prae se ferens.



perit
in
nisi

vesti
den

duo

vesti
chu
cta

Ex
huc a
cellus
ris ma
hibens
tonaei
plicae

- e. peritonaei ostiolum per angiportum in sacculum illum ducens, cui sinister testis nunc iam inhaeret.
- f. vestigia vasorum spermaticorum eiusdem lateris; et
- g. ductus deferentis.
- h. vesica urinaria; fundo suo in urachum abiens, utrinque arteriis iuncta umbilicalibus.

Fig. 2.

Ex foetu quadrimestri; ut testes adhuc abdominali cavo contenti, et processus peritonaei *ascendens* tunc temporis magnam partem non nisi plicam exhibens longitudinalem, et ostiolum peritonaei ad inferiorem et anticam huius plicae partem situm, patefiant.