

Werk

Titel: Handbuch der vergleichenden Anatomie

Untertitel: Mit Kupfern

Autor: Blumenbach, Johann Friedrich

Verlag: Dieterich

Ort: Göttingen

Jahr: 1805

Kollektion: Blumenbachiana

Werk Id: PPN660777991

PURL: <http://resolver.sub.uni-goettingen.de/purl?PID=PPN660777991> | LOG_0053

OPAC: <http://opac.sub.uni-goettingen.de/DB=1/PPN?PPN=660777991>

Terms and Conditions

The Goettingen State and University Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Goettingen State- and University Library.

Each copy of any part of this document must contain these Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept the Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Goettingen State- and University Library.

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

Contact

Niedersächsische Staats- und Universitätsbibliothek Göttingen
Georg-August-Universität Göttingen
Platz der Göttinger Sieben 1
37073 Göttingen
Germany
Email: gdz@sub.uni-goettingen.de

TAB. VIII.

Ungeborene Igel verschiedenen Alters,
besonders um die Veränderung zu zei-
gen die mit ihrem Mutterkuchen vorgeht:

 Fig. 1.

Ein noch sehr unreifer *conceptus*.

a. b. b. Das eyförmige *chorion* geöff-
net, so das die ganze vordere Hälfte
weggenommen ist.

a. Der dicke fast knorpelharte Theil
desselben.

b. b. Der dünnere geschmeidigere
Theil.

c. Die *tunica erythroides* die so wie

d. der Embryo mit seinem *amnion*
vorher im *chorion* eingeschlossen gewesen.

 Fig. 2.

Eine reifere Frucht.

a. b. Der nun sattelförmige Mutterkuchen.

c. Die *tunica erythroides*.

d. Der Fötus mit geöffneten Unterleib, dessen Eingeweide und Gefäße in der Nebenfigur vergrößert sind.

e. Die Leber.

f. Die Harnblase ohne *urachus*.

g. h. Die beyden *arteriae umbilicales*.

i. Die *vena umbilicalis*.

k. Die *vasa omphalomeseraica*.