

### Werk

Jahr: 1975

Kollektion: fid.geo Signatur: 8 Z NAT 2148:41

Digitalisiert: Niedersächsische Staats- und Universitätsbibliothek Göttingen

Werk Id: PPN1015067948\_0041

PURL: http://resolver.sub.uni-goettingen.de/purl?PPN1015067948\_0041

**LOG Id:** LOG\_0084

**LOG Titel:** Preliminary polar wander path of Central Iran

LOG Typ: article

## Übergeordnetes Werk

Werk Id: PPN1015067948

**PURL:** http://resolver.sub.uni-goettingen.de/purl?PPN1015067948 **OPAC:** http://opac.sub.uni-goettingen.de/DB=1/PPN?PPN=1015067948

## **Terms and Conditions**

The Goettingen State and University Library provides access to digitized documents strictly for noncommercial educational, research and private purposes and makes no warranty with regard to their use for other purposes. Some of our collections are protected by copyright. Publication and/or broadcast in any form (including electronic) requires prior written permission from the Goettingen States and University Library.

from the Goettingen State- and University Library.
Each copy of any part of this document must contain there Terms and Conditions. With the usage of the library's online system to access or download a digitized document you accept the Terms and Conditions.

Reproductions of material on the web site may not be made for or donated to other repositories, nor may be further reproduced without written permission from the Goettingen State- and University Library.

For reproduction requests and permissions, please contact us. If citing materials, please give proper attribution of the source.

### **Contact**

Niedersächsische Staats- und Universitätsbibliothek Göttingen Georg-August-Universität Göttingen Platz der Göttinger Sieben 1 37073 Göttingen Germany Email: gdz@sub.uni-goettingen.de

# Preliminary Polar Wander Path of Central Iran

### H. Soffel

Institut für Allgemeine und Angewandte Geophysik, München

#### H. Förster

Institut für Mineralogie und Lagerstättenlehre, Aachen

### H. Becker

Institut für Allgemeine und Angewandte Geophysik, München

**Key words:** Polar wander path—Central Iran—Palaeomagnetism.

In 1973, 1974 and 1975 three palaeomagnetic sampling trips were made in Central Iran including the Lut Block for a determination of the polar wander path of Central Iran. This area is believed to be a fragment of Gondwanaland according to paleogeographic evidence and evidence from reconstruction of the Indian Ocean compiled by Förster (1974, 1975) and also according to various geological aspects summarized by Stöcklin (1974). First palaeomagnetic measurements in Central Iran have been published by Becker, Förster and Soffel (1973) showing that the Infracambrian rocks and iron ores of the Bafq region in Central Iran yield similar virtual geomagnetic pole positions as rocks of comparable age from India.

During the three sampling trips between 1973 and 1975 80 localities have been sampled covering rocks from all formations between Quaternary and Infracambrian. The samples (predominantly magmatic rocks and red sandstones) were taken in areas with well known geology and stratigraphy.

The preliminary results presented here originate exclusively from magmatic rocks fulfilling the following criteria:

- a) NRM is well grouped and far away from the present geomagnetic field direction in the sampling area (negligible viscous remanent magnetization due to the present field),
  - b) very good stability of remanence during alternating field demagnetization,
  - c) the rocks are fresh, unweathered and unaffected by metamorphism,
  - d) tectonic corrections are unambiguous.

The results in terms of mean virtual geomagnetic pole (VGP) positions for various formations are shown in Fig. 1 and listed in Table 1 using a scheme of presentation introduced by McElhinny (1973). The polar wander paths of Stable Europe, Russian Platform, Africa, Arabia and India are also shown according to McElhinny (1973). The similarity of the polar wander paths of India

542 H. Soffel et al.




Fig. 1. Polar wander paths of Stable Europe, Russian Platform, Africa, Arabia and India according to McElhinny (1973) together with a preliminary polar wander path of Central Iran (equal area projection)

Table 1. Summary of virtual geomagnetic pole (VGP) positions of Central Iran

Period	N	K	A <sub>95</sub>	VGP: Lat.	Long.
Upper Tertiary	2	100 100 100 100 100 100 100 100 100 100	_	80.6° N	140.3° E
Lower Tertiary	4	40.4	11.0°	59.5° N	318.9° E
Lower to Upper Cretaceous	3	58.1	10.6°	69.2° N	305.1° E
Permian					
(possibly Upper Permian)	1	-	-	24.4° N	271.4° E
Permian					
(possibly Middle and Lower Permian)	2	31.1	17.8°	18.8° N	327.9° E
Ordovician	3	_	_	36.3° S	330.5° E
Infracambrian	11	5.5	22.0°	35.7° S	26.5° E

and Central Iran is obvious. This preliminary palaeomagnetic result therefore supports the idea that Central Iran is a former part of Gondwanaland. The difference for the VGP positions for Lower to Upper Cretaceous and Lower Tertiary between India and Central Iran, both of which are sufficiently well defined, indicates that Central Iran had a much northerly position at that time than India. A former position of Central Iran East of Arabia is compatible with the palaeomagnetic data. The VGP positions for the Mesozoic and Paleozoic of Central Iran are too sparse to allow any detailed reconstructions for these time intervals.

The more complicated palaeomagnetic and rockmagnetic measurements on the remaining samples (red sandstones and other magmatic rocks) in order to improve the Polar Wander Path of Central Iran are presently being made.

The measurements were made in the Institut für Allgemeine und Angewandte Geophysik, Universität München. The sponsorship of the Deutsche Forschungsgemeinschaft is gratefully acknowledged.

#### References

Becker, H., Förster, H., Soffel, H.: Central Iran, a former part of Gondwanaland? Palaeomagnetic evidence from infra cambrian rocks and iron ores of the Bafq Area, Central Iran. Z. Geophys. 39, 953–963 (1973)

Förster, H.: Petrologische und metallogenetische Aspekte der Plattentektonik in Iran. In: E. Ehlers, (Ed.): Beiträge zur Physischen Geographie Irans, Marburger Geographische Schriften, 62, S. 7–19. Marburg: 1974

Förster, H.: Continental drift in Iran in relation to the far structures. Afar monograph (Symposium on the Afar region and related rift problems, Bad Bergzabern, April 1974. (Ed. A., Pilger, Clausthal) in press 1975

McElhinny, W.M.: Palaeomagnetism and plate tectonics. Cambridge: University Press, 1973

Stöcklin, J.: Possible ancient continental margins in Iran. In: The geology of continental margins. Ed.: C.A. Burk, C.L. Drake, pp. 873-887. Berlin-Heidelberg-New York: Springer 1974

Prof. Dr. H. Soffel
Dipl.-Geophys. H. Becker
Institut für Allgemeine und Angewandte Geophysik der Universität München
D-8000 München 2
Theresienstraße 41
Federal Republic of Germany

Prof. Dr. H. Förster Institut für Mineralogie und Lagerstättenlehre der RWTH Aachen D-5100 Aachen, Wüllnerstr. 2 Federal Republic of Germany

Received June 2, 1975